



Core

- \$(html)
\$(elements(0))
\$(selector, context(0))
\$(docReady)
\$.extend(properties(1))
\$.noConflict(namespace)
each(callback)
get()
get(positon)
index(element)
length
size()
slice(positon[, positon])

Selectors (E,F,G are tagNames)

- *
E E:even
E F E:file
E > F E:first
E + F E:first-child
E ~ F E:gt(positon)
E,F,G E:has(selector)
E[@attribute] E:hidden
E[@attribute=value] E:image
E[@attribute^=value] E:input
E[@attribute\$=value] E:last
E[@attribute*=value] E:last-child
E[@attribute~=value] E:lt(positon)
E[@attribute!=value] E:not(selector)
E[attribute] E:nth-child(num|expr)
E#id E:odd
E.class E:only-child
E:button E:parent
E:checkbox E:password
E:checked E:radio
E:contains(text) E:reset
E:disabled E:selected
E:empty E:submit
E:enabled E:text
E:eq(positon) E:visible

Attributes

- addClass(class)
attr(name)
attr(attributes(2))
attr(key, value|callback)
html()
html(value)
removeAttr(name)
removeClass(class)
text()
text(value)
toggleClass(class)
val()
val(value)

Traversing

- add(selector|html|elements(0))
children(selector)
contains(text)
end()
filter(selector|filter)
find(selector)
is(selector)
next(selector)
not(selector|elements(0))
parent(selector)
parents(selector)
prev(selector)
siblings(selector)

Manipulation

- after(html|elements(0))
append(html|elements(0))
appendTo(html|elements(0))
before(html|elements(0))
clone()
empty()
insertAfter(html|elements(0))
insertBefore(html|elements(0))
prepend(html|elements(0))
prependTo(html|elements(0))
remove([selector])
wrap(html|element)

CSS

- css(name)
css(style(3))
css(key, value)
height()
height(value)
width()
width(value)

Events

- bind(type[, data(4)], fn)
blur()
blur(fn)
change(fn)
click()
click(fn)
dblclick(fn)
error(fn)
focus()
focus(fn)
hover(over, out)
keydown(fn)
keypress(fn)
keyup(fn)
load(fn)
mousedown(fn)
mousemove(fn)
mouseout(fn)
mouseover(fn)
mouseup(fn)
one(type[, data(4)], fn)
ready(fn)
resize(fn)
scroll(fn)
select()
select(fn)
submit()
submit(fn)
toggle(even, odd)
trigger(type [, data(4)])
unbind([type][, fn])
unload(fn)

Effects

- animate(style(3), [speed|speed][, easing][, callback])
fadeIn([speed|speed][, callback])
fadeOut([speed|speed][, callback])
fadeTo(speed|speed, opacity[, callback])
hide([speed|speed][, callback])
show([speed|speed][, callback])
slideDown([speed|speed][, callback])
slideToggle([speed|speed][, callback])
slideUp([speed|speed][, callback])
toggle()

Ajax

- \$.ajax(settings(5))
\$.ajaxSetup(settings(5))
\$.get(url[, parameters(6)][, callback])
\$.getJSON(url[, parameters(6)], callback)
\$.getScript(url[, callback])
\$.post(url[, parameters(6)][, callback])
ajaxComplete(callback)
ajaxError(callback)
ajaxSend(callback)
ajaxStart(callback)
ajaxStop(callback)
ajaxSuccess(callback)
load(url[, parameters(6)][, callback])
serialize()

JavaScript

- \$.browser
\$.browser.version
\$.each(object(1), function)
\$.extend(target(1), properties(1)[, properties(1)...])
\$.grep(array, function[, inverse])
\$.map(array, function)
\$.merge(first, second)
\$.trim(string)
\$.unique(array)

(0) single or array of DOM|XML Elements as well as JQuery Object.

(1) Any Object { key:value|value|value|value|value|value|value, ... } (2) (X)Html Attribute { key:value|value, ... }

(3) CSS Style { key:value, ... }

(4) Data sent to function as event.data { key:value|value|value|value|value|value|value, ... }

(5) Ajax Settings { [url][, type:GET|POST][, dataType:xml|html|script|json][, ifModified][, timeout][, global][, error][, success][, complete][, data|data][, contentType][, processData][, async][, beforeSend] }

(6) Parameters sent to server { key:value|value|value|value|value, ... }